

§ 51.902

(a) The following shall be considered as damage to the individual berry:

(1) Scarring such as that caused by thrips, mildew, rubs, and similar injuries when materially detracting from the appearance of the berry;

(2) Discoloration when any light brown, tan, or darker discoloration of the skin materially detracts from the appearance of the berry: *Provided*, That “sunkissed” berries of the white Malaga variety which show discoloration of amber or light brown color shall not be considered as damaged. “Buckskin” berries of the Tokay variety, and similar injury to other varieties, shall be considered as damaged by discoloration;

(3) Heat when the flesh of the berry is affected;

(4) Almeria Spot when any spot is distinctly sunken or dark in color;

(5) Mildew when active powdery mildew is present;

(6) Freezing when the berry is frozen or when the flesh of the berry is affected by freezing;

(7) Insect injury when penetrating the skin of the berry or when there is noticeable insect infestation on the bunch; when mealybug residue or aphid honeydew are present in noticeable amounts; or when leafhopper residue materially detracts from the appearance of the individual berry or of the bunch.

(b) The following shall be considered as damage to stems:

(1) Active powdery mildew or any other disease when present on the stems to the extent that it detracts from the appearance of the bunch or when scars caused by mildew or other disease constrict or weaken any part of the main or lateral stems; and,

(2) Freezing when the stems are frozen or the capstems are swollen or dried, or when the main or lateral stems are water-soaked and limp, or dried, as a result of freezing.

[36 FR 9126, May 20, 1971. Redesignated at 42 FR 32514, June 27, 1977, and further redesignated at 46 FR 63203, Dec. 31, 1981. Redesignated at 56 FR 15802, Apr. 18, 1991]

§ 51.902 Fairly well filled.

Fairly well filled means that the berries are reasonably closely spaced on

7 CFR Ch. I (1–1–02 Edition)

main and lateral stems and that the bunch is not very loose or stringy.

[36 FR 9126, May 20, 1971. Redesignated at 42 FR 32514, June 27, 1977, and further redesignated at 46 FR 63203, Dec. 31, 1981. Redesignated at 56 FR 15802, Apr. 18, 1991]

§ 51.903 Excessively tight.

Excessively tight means that the berries are so wedged together that the bunch is extremely compact for the variety and resulting distorted berries materially detract from the appearance of the bunch.

[36 FR 9126, May 20, 1971. Redesignated at 42 FR 32514, June 27, 1977, and further redesignated at 46 FR 63203, Dec. 31, 1981. Redesignated at 56 FR 15802, Apr. 18, 1991]

§ 51.904 Shot berries.

Shot berries means very small berries resulting from insufficient pollination, usually seedless in those varieties which normally develop seeds.

[36 FR 9126, May 20, 1971. Redesignated at 42 FR 32514, June 27, 1977, and further redesignated at 46 FR 63203, Dec. 31, 1981. Redesignated at 56 FR 15802, Apr. 18, 1991]

§ 51.905 Dried berries.

Dried berries means berries which are dry and shriveled to the extent that practically no moisture is present.

[36 FR 9126, May 20, 1971. Redesignated at 42 FR 32514, June 27, 1977, and further redesignated at 46 FR 63203, Dec. 31, 1981. Redesignated at 56 FR 15802, Apr. 18, 1991]

§ 51.906 Well developed and strong.

Well developed and strong means that the main and lateral stems are firm, fibrous, and pliable; not distinctly immature or spindly or threadlike at time of packing.

[36 FR 9126, May 20, 1971. Redesignated at 42 FR 32514, June 27, 1977, and further redesignated at 46 FR 63203, Dec. 31, 1981. Redesignated at 56 FR 15802, Apr. 18, 1991]

§ 51.907 Diameter.

Diameter means the greatest dimension of the berry taken at right angles to a line running from the stem to the blossom end.

[36 FR 9126, May 20, 1971. Redesignated at 42 FR 32514, June 27, 1977, and further redesignated at 46 FR 63203, Dec. 31, 1981. Redesignated at 56 FR 15802, Apr. 18, 1991]